## LISTING OF CLAIMS

The following listing of claims replaces all prior versions:

## 1-50 CANCELED

51. (New) A method of detecting a target nucleic acid sequence in a sample, comprising: contacting the sample with an oligonucleotide specific for hybridizing to the target sequence labeled with a fluorophore and a quencher, wherein the quencher is an  $\alpha$ -aminoanthraquinone, and wherein fluorescence of the fluorophore can be reduced by energy transfer to the quencher or by ground state quenching by the quencher; and

detecting a change in fluorescence.

- 52. (New) The method of claim 51, wherein the quencher is an  $\alpha$ -alkylaminoanthraquinone or an  $\alpha$ -arylaminoanthraquinone.
- 53. (New) The method of claim 51, wherein the quencher is a non-fluorescent quencher.
- 54. (New) The method of claim 51, wherein the quencher is a di- $\alpha$ -aminoanthraquinone.
- 55. (New) The method of claim 54, wherein the quencher is a di- $\alpha$ -alkylaminoanthraquinone, a di- $\alpha$ -arylaminoanthraquinone or an  $\alpha$ -alkylamino- $\alpha$ -arylaminoanthraquinone.
- 56. (New) The method of claim 51, wherein fluorescence is reduced by fluorescent energy transfer.
- 57. (New) The method of claim 51, wherein fluorescence is reduced by ground state quenching.
- 58. (New) The method of claim 51, wherein fluorescence is reduced by fluorescent energy transfer and ground state quenching.
- 59. (New) The method of claim 51, wherein the change in fluorescence is a decrease in fluorescence.

- 60. (New) The method of claim 51, wherein the change in fluorescence is an increase in fluorescence.
- 61. (New) The method of claim 60, wherein the increase in fluorescence arises from cleavage of the labeled oligonucleotide.